

BOULEVARD 48-INCH & 60-INCH  
Linear Direct-Vent Fireplaces



*Boulevard*

Boulevard 60-inch Direct-Vent Linear Fireplace with Ridgeback Corrugated Liner, and Logs, Rocks and Coils (shown in tile custom surround)





# BIG, BOLD, BOULEVARD.

**Boulevard Linear Fireplaces provide the perfect scale for today's large spaces – from a spacious family room to a hotel lobby to an upscale restaurant.**

Tailor the Boulevard fireplace to suit your taste, starting with an elegant porcelain black liner that goes well with any décor. Or opt for an industrial chic look with the Ridgeback liner – a one-piece corrugated metal liner finished in distressed bronze.

The fully recessed burner fills the fireplace with lively flames– up to 38,000 Btu (Nat)/34,000 Btu (LP) for the DVLL48, and up to 46,000 Btu (Nat)/42,500 Btu (LP) for the DVLL60. Acres of crushed glass cover the fireplace floor (available in a variety of colors), while the halogen lighting lets you set the perfect mood – whether the fireplace is burning or not. Choose our Copper Reflective or Bronze Reflective crushed glass – or Clear Frost. These translucent shades of crushed glass allow the under-floor white light system to shine through, but you can accent with other glass colors including our drops and droplets.

The available Rustic Log Set includes a unique assortment of ceramic fiber logs and stones, plus coiled slivers of stainless steel that react to the light and flames to bring your fireplace to life.

## **Modern Technology – Intuitive Control**

The Boulevard fireplace ships with multifunction thermostat remote control that operates the variable burner, dimmer lighting (optional on DVLL48), and optional blower. The bright backlit LCD screen uses simple graphics to guide you through set-up and operation.

Every Boulevard includes an electronic intermittent ignition system that eliminates the standing pilot to help you save energy and money. The system includes battery back-up located in a wall box for manual or remote operation. The remote allows you to switch to a standing pilot mode to continue heating your room during power outages. Ceramic glass aids in heat transfer.

Add tile right up to the rectangular opening to create a stunningly beautiful, amazingly efficient clean-face fireplace. The optional trim kit finishes the opening and adjusts for different depths of tile or stone.

## **Installation Requirements**

- Includes non-combustible board for installation above the fireplace. Additional non-combustible materials are required to surround the fireplace opening – such as tile, stone, or non-combustible board and finishes.
- Liner (matte black liner included on DVLL48)
- Crushed Glass (see manual for requirements)

## **Options**

- Fronts – available in ¾ -inch trim in Matte Black or Hammered Pewter (hides the tile's cut edges); 3-inch Forged Iron; and 2-inch Brushed Nickel
- Dual Blower (200 cfm total)
- Dimmer Lighting is optional for DVLL48; standard on DVLL60




Boulevard 60-inch Direct-Vent Linear Fireplace with Black Porcelain Liner, Pewter Trim Kit,\* and Clear Frost Crushed Glass (shown in wood-grain porcelain tile custom surround)  
 \*Trim Kit also available in Matte Black

## LINERS (REQUIRED)



Ridgeback Corrugated



Black Porcelain

## FRONTS (NOT REQUIRED)



L to R: 3/4-inch Matte Black; 3/4-inch Hammered Pewter; 3-inch Forged Iron; 2-inch Brushed Nickel

## DECORATIVE MEDIA (REQUIRED)

Only crushed glass may be placed on the burner screened area. Use only decorative media specified for fireplace installation. Your dealer may offer additional colors and styles.



Clear Frost Crushed



Copper Reflective Crushed



Bronze Reflective Crushed



Blue Clear Crushed



Black Polished Crushed



Glacier Ice Droplets



Sangria Luster Droplets



Aqua Blue Droplets






Accent Pebbles

# DIMENSIONS AND SPECIFICATIONS

IRON PIPE SIZE (N.P.T.): 1/2 inch

VENT PIPE SIZE: 5 x 8 inch



MODEL	A	B	C	D	E	G	H	J	N	O	R	S
DVLL48BP92P	34 1/4	61	19 1/2	18	52 1/4	61	47 1/4	7 1/8	13	48	35 15/16	47 3/8
DVLL48BP92N	34 1/4	61	19 1/2	18	52 1/4	61	47 1/4	7 1/8	13	48	35 15/16	47 3/8
DVLL60BP90P	36 1/4	73	19 1/2	20	64 1/4	73	49 1/4	7 1/8	15	60	37 15/16	49 3/8
DVLL60BP90N	36 1/4	73	19 1/2	20	64 1/4	73	49 1/4	7 1/8	15	60	37 15/16	49 3/8

measurements given in inches

## FRAMING DIMENSIONS

	DVLL48	DVLL60
A	48 3/8	50 3/8
B	67 5/8	79 5/8
C	21 1/2	21 1/2

measurements given in inches


**WARRANTY:** 10-year Limited Warranty on Combustion Chamber, Limited Lifetime on Glass. All other parts carry a three-year limited warranty. All remote controls and lighting systems carry a one-year limited warranty.

**TYPE OF GAS (State on Order):** Natural or LP

Empire is committed to continuous product improvement; specifications are subject to change without notice. Dimensions in this brochure are approximate; read and follow the framing dimensions in the owners manual supplied with your Empire product.

Empire Comfort Systems has manufactured safe, reliable heating systems since 1932. We take pride in our reputation for quality products, backed by the best sales, service, and distribution network in this industry. These fireplaces combine proven technologies with exceptional artistry and craftsmanship to add beauty and warmth to any home.

Refer to your Owner's Manual for complete installation and safety information.



Authorized Dealer:

Member of the following industry associations:



This appliance is design-certified to the ANSI standard by:



SINCE 1932

918 Freeburg Avenue  
Belleville, IL 62220  
info@empirecomfort.com